



SKROSS®

ADAPT TO THE WORLD

EDITION AUTUMN/WINTER 2016

Safe + Simple + Swiss

SKROSS® operates in over 100 countries around the world, successfully positioning itself as the market leader in the field of high-quality travel accessories. Our range of products includes world travel adapters with and without USB charging capabilities, USB chargers and batteries, as well as practical charge and sync cables for today's modern traveller.

Safe products

At SKROSS®, safety is always at the centre of the entire development and production process. The standards defined by the International Electrotechnical Commission (IEC) form the foundation for our development team to design innovative gadgets that give you access to power anywhere in the world.

Simple charging – any time

With SKROSS®, staying fully charged is simple – anywhere around the globe, on all continents. Our patented country slider system ensures connection all over the world. At the same time, our products remain the most compact and easy to use on the market. That is what makes SKROSS® unique.

Swiss innovation with its finger on the pulse

Every SKROSS® adapter is developed in Switzerland and meets the very highest Swiss quality standards.

SKROSS® – a global player from Switzerland



World Travel Adapters (earthed)



PRO

Article-No. 1.103140

For travellers from Europe (Schuko & 2-pole Euro) to more than 120 countries



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 10 A
- Power rating: e.g. at 100 V – 1000 W / 250 V – 2500 W
- Replaceable fuse
- Suitable for devices with 2- & 3-pole plugs
- Does not convert voltage

Compatibility (on the socket side; 3-pole)



Australia, China USA UK Italy Switzerland



PRO – World

Article-No. 1.103170

For travellers from all over the world to more than 220 countries



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 10 A
- Power rating: e.g. at 100 V – 1000 W / 250 V – 2500 W
- Replaceable fuse
- Suitable for devices with 2- & 3-pole plugs
- Does not convert voltage

Compatibility (on the socket side; 3-pole)



Australia, China USA UK Italy Switzerland Europe (Schuko)



PRO – World & USB

Article-No. 1.302530

For travellers from all over the world to more than 220 countries; one integrated USB port



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 10 A
- Power rating: e.g. at 100 V – 1000 W / 250 V – 2500 W
- Replaceable fuse
- Suitable for devices with 2- & 3-pole plugs
- USB output: 5 V / 2100 mA
- Adapter does not convert voltage

Compatibility (on the socket side; 3-pole)



Australia, China USA UK Italy Switzerland Europe (Schuko)

World Travel Adapters (earthed)



PRO Light

Article-No. 1.103150

For travellers from Europe (Schuko & 2-pole Euro) to more than 100 countries



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 6.3 A
- Power rating: e.g. at 100 V – 630 W / 250 V – 1575 W
- Integrated fuse
- Suitable for devices with 2- & 3-pole plugs
- Does not convert voltage

Compatibility (on the socket side; 3-pole)



Australia, China USA UK



PRO Light – World

Article-No. 1.103160

For travellers from all over the world to more than 200 countries



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 6.3 A
- Power rating: e.g. at 100 V – 630 W / 250 V – 1575 W
- Integrated fuse
- Suitable for devices with 2- & 3-pole plugs
- Does not convert voltage

Compatibility (on the socket side; 3-pole)



Australia, China USA UK Europe (Schuko)

World Travel Adapters (earthed)



PRO Light USB

Article-No. 1.302540

For travellers from Europe (Schuko & 2-pole Euro) to more than 100 countries; with integrated dual USB charger



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 6.3 A
- Power rating: e.g. at 100 V – 630 W / 250 V – 1575 W
- Integrated fuse
- Suitable for devices with 2- & 3-pole plugs
- 2 x USB output: 5 V / 2400 mA shared
- Adapter does not convert voltage

Compatibility (on the socket side; 3-pole)



Australia, China USA UK



PRO Light USB – World

Article-No. 1.302550

For travellers from all over the world to more than 200 countries; with integrated dual USB charger



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 6.3 A
- Power rating: e.g. at 100 V – 630 W / 250 V – 1575 W
- Integrated fuse
- Suitable for devices with 2- & 3-pole plugs
- 2 x USB output: 5 V / 2400 mA shared
- Adapter does not convert voltage

Compatibility (on the socket side; 3-pole)



Australia, China USA UK Europe (Schuko)

World Travel Adapters (unearthed)

upgraded
version



upon
request
only



MUV USB

Article-No. 1.302930

For travellers from all over the world to more than 220 countries; with integrated dual USB charger



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 2.5 A
- Power rating: e.g. at 100 V – 250 W / 250 V – 625 W
- Replaceable fuse
- Suitable for devices with 2-pole plugs
- 2 x USB output: 5 V / 2400 mA shared
- Adapter does not convert voltage

Compatibility (on the socket side)



Australia, China USA, Japan UK Euro

Power Pack

Article-No. 1.302170

The SKROSS® MUV USB world adapter is equipped with a convenient back-up power source



Specifications

MUV USB: see left

SOS Battery:

- Output: 5 V / 1 A max. (2.1 A throughput)
- Input: 5 V / 2 A max.
- Capacity: 1200 mA / 4.44 Wh
- 3.7 V LiPo Battery, class A
- Number of charge cycles: min. 300

Compatibility (on the socket side)



Australia, China USA, Japan UK Euro

World Travel Adapters (unearthed)



upgraded
version



MUV Micro

Article-No. 1.302180

For travellers from all over the world to more than 220 countries; outstanding compact



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 2.5 A
- Power rating: e.g. at 100 V – 250 W / 250 V – 625 W
- Replaceable fuse
- Suitable for devices with 2-pole plugs
- Does not convert voltage

Compatibility (on the socket side)



Australia, China USA, Japan UK Euro

MUV Micro USB

Article-No. 1.302830

For travellers from all over the world to more than 220 countries; includes the UK USB Charger



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 2.5 A
- Power rating: e.g. at 100 V – 250 W / 250 V – 625 W
- Replaceable fuse
- Suitable for devices with 2-pole plugs
- 2 x USB output: 5 V / 2400 mA shared
- Adapter does not convert voltage

Compatibility (on the socket side)



Australia, China USA, Japan UK Euro

World Travel Adapters (unearthed)



EVO

Article-No. 1.102100

For travellers from all over the world
to more than 220 countries



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 2.5 A
- Power rating: e.g. at 100 V – 250 W / 250 V – 625 W
- Replaceable fuse; 2 spare fuses included
- Suitable for devices with 2-pole plugs
- Does not convert voltage

Compatibility (on the socket side)



Australia,
China

USA,
Japan

UK

Euro

upgraded
version



EVO USB

Article-No. 1.302101-E

For travellers from all over the world
to more than 220 countries; includes the US USB Charger



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 2.5 A
- Power rating: e.g. at 100 V – 250 W / 250 V – 625 W
- Replaceable fuse; 2 spare fuses included
- Suitable for devices with 2-pole plugs
- 2 x USB output: 5 V / 2400 mA shared
- Adapter does not convert voltage

Compatibility (on the socket side)



Australia,
China

USA,
Japan

UK

Euro

World Travel Adapters (unearthed)

specific
markets
only



Classic

Article-No. 1.100160

For travellers from all over the world
to more than 220 countries



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 2.5 A
- Power rating: e.g. at 100 V – 250 W / 250 V – 625 W
- Replaceable fuse
- Suitable for devices with 2-pole plugs
- Does not convert voltage

Compatibility (on the socket side)



Australia,
China USA,
Japan UK Euro

specific
markets
only



Classic USB

Article-No. 1.300120

For travellers from all over the world
to more than 220 countries; includes a USB charger top



Specifications

- Input voltage: 100 V – 250 V
- Max. load: 2.5 A
- Power rating: e.g. at 100 V – 250 W / 250 V – 625 W
- Replaceable fuse
- Suitable for devices with 2-pole plugs
- USB output: 5 V / 1000 mA
- Adapter does not convert voltage

Compatibility (on the socket side)



Australia,
China USA,
Japan UK Euro

Country Travel Adapters (earthed)

 **WORLD TO** a specific country – from more than 220 countries

 **World to Australia/China**
Article-No. 1.500222



 **World to Italy**
Article-No. 1.500223



 **World to UK**
Article-No. 1.500220



 **World to USA**
Article-No. 1.500221



 **India-Israel-Denmark to Europe**
Article-No. 1.500217



-  India
-  Israel
-  Denmark

 **World to Europe**
Article-No. 1.500211



 **World to South Africa**
Article-No. 1.500224



Compatibility (on the top side)

-  Australia, China
-  USA, Japan
-  UK
-  Italy
-  Switzerland
-  Euro
-  Europe (Schuko)

 **EUROPE TO** a specific country

 **Europe to Australia/China**
Article-No. 1.500209



 **Europe to Italy**
Article-No. 1.500212



 **Europe to UK**
Article-No. 1.500230



 **Europe to USA**
Article-No. 1.500203



 **Europe to Switzerland**
Article-No. 1.500205



Compatibility (on the top side)

-  Europe (Schuko)
-  Euro

Country Travel Adapters (earthed)

COMBO – WORLD TO a specific country & Europe

 **Combo – World to Australia/China**
Article-No. 1.500210



 **Combo – World to Italy**
Article-No. 1.500213



 **Combo – World to UK**
Article-No. 1.500231



 **Combo – World to USA**
Article-No. 1.500204



 **Combo – World to Switzerland**
Article-No. 1.500206



 **Combo – World to India**
Article-No. 1.500215



 **Combo – World to Israel**
Article-No. 1.500216



 **Combo – World to Denmark**
Article-No. 1.500214



 **Combo – World to South Africa**
Article-No. 1.500202



Compatibility (on the top side)



Specifications: Input voltage and power rating depending on the version. Does not convert voltage.

Country Travel Adapters (earthed) with USB



World to Europe USB

Article-No. 1.500260


Safe connection in Europe (Schuko) for all your devices including USB



Specifications

- Suitable for 2- & 3-pole plugs & USB devices
- USB output: 5 V / 2100 mA
- Input voltage: 100 V – 250 V
- Max. load: 16 A
- "Schuko" standard countries
- Adapter does not convert voltage

Compatibility (top side)



World to UK USB

Article-No. 1.500261


Safe connection in the UK for all your devices including USB



Specifications

- Suitable for 2- & 3-pole plugs & USB devices
- USB output: 5 V / 2100 mA
- Input voltage: 100 V – 250 V
- Max. load: 13 A
- UK standard countries
- Adapter does not convert voltage

Compatibility (top side)



World to USA USB

Article-No. 1.500262


Safe connection in the USA for all your devices including USB



Specifications

- Suitable for 2- & 3-pole plugs & USB devices
- USB output: 5 V / 2100 mA
- Input voltage: 100 V – 250 V
- Max. load: 15 A
- US standard countries
- Adapter does not convert voltage

Compatibility (top side)



USB Chargers

upgraded version



World USB Charger

Article-No. 1.302320


Powerful dual USB charger useable in over 220 countries



Specifications

- Suitable for USB devices
- Input voltage: 100 V – 250 V
- 2 x USB output: 5 V / 2400 mA shared

Compatibility (socket side)



Australia, China USA, Japan UK Euro

upgraded version



UK USB Charger

Article-No. 1.302720

Powerful dual USB charger for use at home and en route



Specifications

- UK standard countries
- Suitable for USB devices
- Input voltage: 100 V – 250 V
- 2 x USB output: 5 V / 2400 mA shared
- Compatible with all SKROSS® world adapters with UK input

Compatibility (socket side)



UK

upgraded version



US USB Charger

Article-No. 1.302730

Powerful dual USB charger for use at home and en route



Specifications

- US standard countries
- Suitable for USB devices
- Input voltage: 100 V – 250 V
- 2 x USB output: 5 V / 2400 mA shared
- Compatible with all SKROSS® world adapters with US input

Compatibility (socket side)



USA, Japan

upgraded version



Euro USB Charger

Article-No. 1.302420

Powerful dual USB charger for use at home and en route



Specifications

- Euro standard countries
- Suitable for USB devices
- Input voltage: 100 V – 250 V
- 2 x USB output: 5 V / 2400 mA shared
- Compatible with all SKROSS® adapters

Compatibility (socket side)



Euro

USB Chargers

brand new



Euro USB Charger – 4-Port

Article-No. 2.800101

Powerful USB charger to energise 4 USB devices at the same time



Specifications

- Euro standard countries
- Suitable for USB devices
- Input voltage: 100 V – 240 V
- 4 x USB Output: 5 V / 4.8 A max. in total

Compatibility (socket side)



Euro

brand new



UK USB Charger – 4-Port

Article-No. 2.800102

Powerful USB charger to energise 4 USB devices at the same time



Specifications

- UK standard countries
- Suitable for USB devices
- Input voltage: 100 V – 240 V
- 4 x USB Output: 5 V / 4.8 A max. in total

Compatibility (socket side)



UK

brand new



US USB Charger – 4-Port

Article-No. 2.800100

Powerful USB charger to energise 4 USB devices at the same time



Specifications

- USA/Japan standard countries
- Suitable for USB devices
- Input voltage: 100 V – 240 V
- 4 x USB Output: 5 V / 4.8 A max. in total

Compatibility (socket side)



USA,
Japan

Batteries

brand
new



SKROSS® RELOAD 4

Article-No. 1.400100-E

Perfect when you need an energy boost on the go – charges your smartphone more than once



Specifications

- Output: 5 V / 1 A max.
- Input: 5 V / 1 A max.
- Capacity: 4000 mAh / 14.80 Wh
- 3.7 V lithium battery
- Power status: LED
- Number of charge cycles: min. 300
- Micro USB cable included

brand
new



SKROSS® RELOAD 6

Article-No. 1.400101-E

Perfect when you need an energy boost on the go – charges your smartphone around twice



Specifications

- Output: 5 V / 1 A max.
- Input: 5 V / 1 A max.
- Capacity: 6000 mAh / 22.20 Wh
- 3.7 V lithium battery
- Power status: LED
- Number of charge cycles: min. 300
- Micro USB cable included

Batteries



SKROSS® RELOAD 3

Article-No. 1.302168

Perfect when you need an energy boost on the go – charges your smartphone once



Specifications

- Output: 5 V / 1 A max.
- Input: 5 V / 1 A max.
- Capacity: 3500 mAh / 12.95 Wh
- 3.7 V lithium battery, class A
- Power status: LED
- Number of charge cycles: min. 500
- Micro USB cable included

SKROSS® RELOAD 5^{HP}

Article-No. 1.302169

Perfect when you need an energy boost on the go – charges your smartphone around twice



Specifications

- Output 1: 5 V / 1 A max.
- Output 2: 5 V / 2.1 A max. (fast charge)
- Input: 5 V / 2 A max.
- Capacity: 5000 mAh / 18.50 Wh
- 3.7 V lithium battery, class A
- Power status: LED
- Number of charge cycles: min. 500
- Micro USB cable included

Batteries



SKROSS® RELOAD 5

Article-No. 1.302166

Perfect when you need an energy boost on the go – charges your smartphone around twice



Specifications

- Output: 5 V / 1 A max.
- Input: 5 V / 1 A max.
- Capacity: 5000 mAh / 18.50 Wh
- 3.7 V lithium battery, class A
- Power status: LED
- Number of charge cycles: min. 500
- Micro USB cable included



SKROSS® RELOAD 12

Article-No. 1.302167


Perfect when you need an energy boost on the go – charges your smartphone up to four times



Specifications

- Output 1: 5 V / 2.1 A max. (fast charge)
- Output 2: 5 V / 1 A max.
- Input: 5 V / 1 A max.
- Capacity: 12 000 mAh / 44.40 Wh
- 3.7 V lithium battery, class A
- Power status: LED
- Number of charge cycles: min. 500
- Micro USB cable included

USB Cables



2in1 Charge'n Sync Micro USB & Lightning Connector

Article-No. 2.700200-E

For all USB devices with Micro USB or Lightning Connector



Specifications

- Cable length: 1 m
- Input voltage: 5 V
- Output voltage: 5 V
- Fully certified by Apple



Charge'n Sync Lightning Connector

Article-No. 2.700205-E

For all USB devices with Lightning Connector



Specifications

- Cable length: 1 m
- Input voltage: 5 V
- Output voltage: 5 V
- Fully certified by Apple



Charge'n Sync Micro USB

Article-No. 2.700202-E

For all USB devices with Micro USB connector



Specifications

- Cable length: 1 m
- Input voltage: 5 V
- Output voltage: 5 V



Charge'n Sync Type-C

Article-No. 2.700206-E

For all USB devices with Type-C connector



Specifications

- Cable length: 1 m
- Input voltage: 5 V
- Output voltage: 5 V
- USB-standard: 2.0

USB Cables – Steel Line



2in1 Charge'n Sync Micro USB & Lightning Connector

Article-No. 2.700241

For all USB devices with Micro USB or Lightning Connector



Specifications

- Cable length: 1 m
- Input voltage: 5 V
- Output voltage: 5 V
- Fully certified by Apple



Charge'n Sync Lightning Connector

Article-No. 2.700242

For all USB devices with Lightning Connector



Specifications

- Cable length: 1 m
- Input voltage: 5 V
- Output voltage: 5 V
- Fully certified by Apple



Charge'n Sync Micro USB

Article-No. 2.700240

For all USB devices with Micro USB connector



Specifications

- Cable length: 1 m
- Input voltage: 5 V
- Output voltage: 5 V



Charge'n Sync Type-C

Article-No. 2.700243


For all USB devices with Type-C connector



Specifications

- Cable length: 1 m
- Input voltage: 5 V
- Output voltage: 5 V
- USB-standard: 3.0

USB Cables – Alarm Cable



BUZZ – Alarm Cable 2in1 Micro USB & Lightning Connector

Article-No. 2.700212

Charge and sync alarm cable: theft protection and reminder function – buzzes if connection is broken



Specifications

- Cable length: 1 m
- Input voltage: 5 V
- Output voltage: 5 V
- Fully certified by Apple



BUZZ – Alarm Cable Lightning Connector

Article-No. 2.700211

Charge and sync alarm cable: theft protection and reminder function – buzzes if connection is broken



Specifications

- Cable length: 1 m
- Input voltage: 5 V
- Output voltage: 5 V
- Fully certified by Apple



BUZZ – Alarm Cable Micro USB

Article-No. 2.700210

Charge and sync alarm cable: theft protection and reminder function – buzzes if connection is broken



Specifications

- Cable length: 1 m
- Input voltage: 5 V
- Output voltage: 5 V

USB Car Chargers

USB
2100 mA



Midget USB Car Charger

Article-No. 2.900608

Charges devices while on the ride



Specifications

- Suitable for USB devices
- Input voltage: 12 – 16 V DC
- USB output: 5 V / 2100 mA

2X
USB
2000 mA



Midget Dual USB Car Charger

Article-No. 2.900610

Charges two devices while on the ride



Specifications

- Suitable for USB devices
- Input voltage: 12 – 16 V DC
- USB output: 5 V / max. 2 x 1000 mA

USB
2100 mA



Midget^{PLUS} Micro USB

Article-No. 2.900613

Charges two devices while on the ride



Specifications

- Suitable for USB devices
- Input voltage: 12 – 16 V DC
- USB output: 5 V / max. 2100 mA shared
- Coiled cable with Micro USB
- + 1 extra USB port

USB
2000 mA



Midget^{PLUS} with Lightning Connector

Article-No. 2.900612

Charges two devices while on the ride




Specifications

- Suitable for USB devices
- Input voltage: 12 – 16 V DC
- USB output: 5 V / max. 2 x 1000 mA
- Coiled cable with Lightning Connector
- + 1 extra USB port

Made for
 iPod  iPhone





Enjoy your trip and stay connected!

Smartphone, laptop, camera –
SKROSS® energizes whatever you want.

WorldConnect AG
Werkstrasse 12a
9444 Diepoldsau
Switzerland

T +41 717379760
info@skross.com
f /SKROSSpower



SKROSS.COM